

PVRC Newsletter December 2018

Newsletter Editor: John K3TN jpescatore@aol.com

Website: http://www.pvrc.org

Meeting Info: http://www.pvrc.org/chapters.htm

Facebook: https://www.facebook.com/groups/PotomacValleyRadioClub/

Kudos, and Thanks to Bud W3LL

Time flies when you are having fun. Can it really be that it has been three years since Bud, W3LL, took over as President of PVRC? For those of us who have served with him as PVRC officers during these three years, the time has certainly flown by.

Bud took over somewhat unexpectedly in January 2016 at a time when there was some disharmony in the organization. We owe him a debt of gratitude for taking up the task of righting the ship (Bud loves all those nautical references – what else would you expect from a retired Coast Guard career officer?). He now steps down from office after serving for three years, leaving PVRC in a good place.

Like all good leaders, we are sure that Bud would vigorously protest a recitation of accomplishments during these three years, noting that it was really the doing of the many others – officers, Trustees, volunteers (and there are many of them that make PVRC run) and active members – not just he – who made it all happen. But all of us know that it takes good leadership and organization to release and harness the energy of all the players to achieve success. Those accomplishments do make an impressive list, testimony to the many, many PVRC'ers who worked hard, often with little or no recognition, to move the organization forward:

- Decentralizing PVRC by making regional events sponsored by Chapters the focus of official PVRC activity both by policy and action.
- Establishment of the PVRC "Galactic Event" (sponsored by Colonial Capital Chapter).
- Reinforcing a sense of accountability and follow-up in the club officers by holding bi-weekly conference calls to set goals and monitor progress toward them.
- Creation of a PVRC Mission Statement.
- Establishing a PVRC presence on Facebook.
- Adding 1M through 4M Progress Certificate awards for those working towards their 5M award.
- Celebrating the 20th anniversary of the 5 Meg Award Program by the yearlong "20 for 20" one-time award.

- Establishing a relationship with a vendor to set up a self-service PVRC "Store" to make logo apparel easily available to members
- Raising over \$3,200 in support of WRTC 2018 in memory of PVRC silent keys.
- Observing PVRC's 70th anniversary with a week-long special event operation that generated an incredible 12,000 QSO's as participants tried to work all the PVRC-related special calls.
- Providing for a refreshed PVRC Home Page appearance and keeping the content there up to date.
- Creation of the PVRC Olympics as an annual event to encourage member participation in all aspects of the club.
- Maintaining the health of PVRC Chapters, including the creation of a new Chapter (Blue Ridge) and recruiting new Chapter Chairs when needed.

Finally, and perhaps most importantly, strengthened PVRC's leadership as a premier contesting club, achieving many, many club competition wins during the last three years including the NAQP Club Challenge in 2016, and continuing the string of 10 consecutive Sweepstakes victories.

So, kudos and thanks to all who have worked hard over the last three years to make these things happen, and especially Bud for being a good captain during his watch.

Dan, K2YWE – Vice President Jay, W3MMM – Vice President Tom, K3AJ – Treasurer Tim, N3QE - Secretary



PVRC Officers:

President: W3LL Bud Governale
Vice President: K2YWE Dan Zeitlin
Vice President: W3MMM Jay Horman
Secretary: N3QE Tim Shoppa
Treasurer: K3AJ Tom Valenti

Trustees:

K3MM, N3OC, WX3B, W4ZYT, N4NW, K2AV, K4ZA, W3TB, K3ZO, K2PLF, W3LPL, N4MM, N4ZR, W3MSH, N4NQY, W2RU, K3WRY

PVRC Charter Members (all SK):

W3GRF, W4AAV, W4KFC, N0FFZ, W4LUE, W7YS, VP2VI/W0DX, W3IKN, W4KFT

Newsletter Editor: John K3TN jpescatore@aol.com

PVRC Website: http://www.pvrc.org

PVRC Meeting Info: http://www.pvrc.org/chapters.htm

Jamie NS3T Wins RTCA Career Achievement Award



From the Radio and Television Correspondent's association:

The Career Achievement Award for Distinguished Reporting on Congress honors the distinguished career of a Washington broadcaster who represents career achievement and dedication to Congressional coverage. The award recognizes rare, exceptional careers and signifies the admiration of the many broadcasters who follow behind and benefit from the work of the recipient.

Jamie Dupree is the Senior Washington Correspondent for the Washington Bureau of the Cox Media Group. Jamie has been around the Congress for most of his life. His parents started as staffers on Capitol Hill in 1959. Jamie was a House Page in 1980. He came back to Capitol Hill as a reporter in 1986 and has been with Cox since 1989. His radio reports can be heard on Cox stations in Atlanta, Orlando, Jacksonville, Dayton, Ohio, Tulsa, Oklahoma, and Athens, Georgia. His Washington Insider blog is also used by two Cox newspapers, the Atlanta Journal Constitution and Dayton Daily News.

Jamie's career was derailed during the middle of the 2016 campaign, when a mysterious medical issue took away his voice. While doctors have not been able to restore his voice, a company in Scotland used his years of audio archives to build a Jamie Dupree voice app, which now allows him to file radio reports again, in a computer-generated voice known as "Jamie Dupree 2.0." Jamie has been slowly writing a book about his family's time on Capitol Hill, which sometimes goes by the title, "Alcohol is a Depressant, But so is the Senate."

Editor's note - great video here. Jump to about 4:30 in to get to the good stuff.



3

The Rev. Paul E. Bittner, WØAIH, Memorial Scholarship", via the ARRL Foundation.



Scott KA9FOX has set up a GoFundMe page <u>here</u> to establish a scholarship In memorial of Rev. Paul W0AIH.

The Score: Ice 1, Inverted L 0 - Mike W3IP



Mike's analysis after a mid-November icing event brought down his recently erected inverted L for 160m:

By the numbers: .875-inch radial ice = 2.4 square inches times 170 feet of wire = 2.8 cubic feet of ice times 57 pounds per cu ft = 161 pounds of ice hanging on the support rope!

1.75 inches times 66 feet of vertical wire = 9.6 square feet times 10 pounds per square feet of wind load at 50 MPH yields another 96 pounds of force on the support rope. No wonder it broke!

PVRC Awards Presentation Roanoke Blacksburg -Anthony WM3T



L-R: Anthony WM3T presenting medals to Riley, K4ORD and Buddy, W4YE at a local club meeting in October.

Over The Hill Lunch Bunch VA Meeting, 25 Oct - Bob W3YY

The OTH lunch bunch met at Anthony's restaurant in Falls Church, VA.

Roger, K5VRX, distributed PVRC election forms and collected the results. K5VRX also presented PVRC Olympic Medals (Bronze) to Jim, N3JT and John, K4HQK. N3JT also received his 25-million endorsement for the PVRC 5 Million Award.

Fred, K3ZO, has a new FTdx5000.

Jim, N3JT, departs for his winter residence in Florida 11/2. He will remotely operate his home station in VA while in Florida.

Bill, K3XA, was voted into PVRC membership. Congrats Bill! Bill is looking into additional tower/antenna work.

Luis, CX1EK/CE2ML, attended briefly before leaving for a flight to Chile.

Bob, W3YY, reported that his 4-El SteppIR at 100 feet has finally been repaired and he is again active on all bands 160-6 Meters. K5VRX assisted him with the ground crew work.



K4HQK & N3JT



K3XA, N4RA, W2YE, and K6ETM



WA2BCK & K3ZO



K5VRX & CX1EK/CE2ML

Morse Automated Telegraph Receiver – John N3AM



This is on display at the Smithsonian American Art Gallery in Washington DC. A bit of background info here.

7

Tidewater Chapter Olympic Medalists - Vic, W4VIC



Three Chapter members rose to the opportunity and earned Olympic Medals in the 2017-18 PVRC Olympics program: Vic, W4VIC (Gold); Barry, K5VIP (Gold) and Bill, WA4EUL (Bronze). The medalists were recognized at the November Chapter.

The Chapter had several notable advances in the 5M program. Chet, N4FX, who is so far ahead of the rest of the Chapter as to be in a class by himself, was awarded a plaque tag for passing the 30M milestone. Hearty congratulations, Chet. There were several certificates awarded for working 1M increments toward the 5M plaque. Congratulations to all who participate in the PVRC Awards Program.

Membership News – Tim N3QE

PVRC did not add any new members in the latest reporting period.

Chapter leaders please remember to complete the <u>Meeting Attendance Report</u>. Members can check and update their roster details via the Roster Lookup.

Upcoming Contests and Log Due Dates

Contests This Month

- Nov 30 ARRL 160M
- Dec 3 10M RTTY
- Dec 8 ARRL 10M
- Dec 15 Croatian CW
- Dec 16 Rookie Roundup CW
- Dec 29 RAC Winter
- Dec 29 Stew Perry Top Ban

Logs Due This Month

- Nov 30 CQ WW CW
- Dec 7 ARRL 160
- Dec 11 10M RTTY
- Dec 16 ARRL 10M

See WA7BNM's Contest Calendar for more detail and the latest information.

From the PVRC Treasurer - Tom K3AJ

PVRC has chosen not to implement an annual Dues requirement. We depend on the generosity of all of our club members to finance our annual budget. In addition, active PVRC members are expected to participate and submit logs for at least two PVRC Club Competition contests per year.

When contemplating your donation to PVRC, each member should consider the benefit you are receiving from PVRC and its many opportunities for your personal growth in our wonderful hobby, then donate accordingly.

Direct donations to PVRC via Credit Card or PayPal may be made by clicking this "Donate" button and clicking the next Donate button that appears on your screen:



Donations to PVRC are not tax deductible

Eyeball QSO Directions

The latest info on local club meetings and get togethers will always be sent out on the PVRC reflector and posted on the PVRC web site.





Now a Word From Our Sponsors

PVRC doesn't ask for dues, but the Club does have expenses. You can also support the Club by buying from the firms listed who advertise in the newsletter!





Your source for DX News!


Get a free two week trial of The Daily DX and The Weekly DX by sending a request to **bernie@dailydx.com.**

The Daily DX 3025 Hobbs Road Glenwood, Maryland 21738 Phone: 410-489-651



PVRC QSL Cards
by
LZ1JZ QSL Print





Showroom Staffing Hours:

9 am to 5 pm ET, Monday-Saturday

Ordering (via phone):

8:30 am to midnight ET, Monday-Friday 9 am to 5 pm ET, Weekends

Phone or e-mail Tech Support: 330-572-3200

8:30 am to 7 pm ET, Monday-Friday 9 am to 5 pm ET, Saturday All Times Eastern I Country Code: +1 DXEngineering@DXEngineering.com

800-777-0703 | DXEngineering.com

Start the New Year with Great Products from DX Engineering!



HF+6M 100 Watt Linear Amplifier

New from the amplifier experts at RM Italy comes the ruggedly built MLA100. This 100 watt, 1.8 to 54 MHz unit makes a smart choice for your QRP transceiver, whether working CW, SSB, AM, FM or digital modes. It features fast RX/TX switching; LED indicators for SWR and output power; automatic protections against overdriving, overheating and excessive SWR; and a host of other benefits. Available with or without fan.

RMY-MLA100.....\$649.99 RMY-MLA100V....\$699.99



SOTABeams ContestConsole Switching Unit for ICOM

Connect this easy-to-use control switch unit between your microphone and ICOM rig and take your contesting to the next level. The ContestConsole gives you instant access to voice, CW and PSK memories without the need to display them on the transceiver screen. It features a TX PTT button, TX low power tune function, pushbutton frequency control, external PTT footswitch socket and more. Specifically built for the IC-7300, the unit also supports a wide range of other ICOM transceivers. Enter "ContestConsole" at DXEngineering.com for full details.

SBM-CONTESTCONSL...\$89.99



Stealth Loop Antenna

Ciro Mazzoni's Stealth Loop Antenna by I3VHF delivers high performance without bothering your neighbors or HOA. The low-profile continuous coverage antenna (6.6-29.8 MHz) measures only 54" x 19.6" x 10.2", making it easy to hide on the ground or place on a balcony while you work the 40 to 10 meter bands. It's built from strong powdercoated aluminum alloy, requires no pole or installation, has a typical SWR of 1.3:1, boasts a 125 watt power rating, and weighs only 15.4 pounds.

MZZ-STEALTH.....\$1,799.99







TEK-PA-100U-05

TEK-PA-85V

Toptek UHF and VHF Power Amplifiers

DX Engineering is pleased to announced that we now carry VHF (PA-85V) and UHF (PA-100U-05) power amplifiers from Toptek, a company widely recognized for its exceptionally constructed units. The 430-460 MHz, 100 watt UHF model comes with automatically enabled silent fans; band-pass filter; and receiver Low Noise Amplifier to minimize noise figure degradation. The 138-174 MHz, 85 watt VHF model includes a built-in VSWR meter. Both units feature multiple protections and straightforward controls for easy operation and long-lasting performance.

TEK-PA-100U-05....\$599.99

TEK-PA-85V \$199.99



ICOM KENWOOD ALINGO

*Free Standard Shipping for Orders Over \$99. If your order, before tax, is over 99 bucks, then you won't spend a dime on shipping. (Additional special handling fees may be incurred for Hazardous Materials, Truck Freight, International Orders, Next Day Air, Oversize Shipments, etc.).



Array Solutions Your Source for Outstanding Radio Products

Professional Grade Equipment from Array Solutions



JK Antennas Are Now Sold by Array Solutions

HIgh Quality HF Antennas for the Contester and DXER. We Focus on Quality and it Shows in Everything We Do. Call or email for antenna



Announcing the new BM-5 BandMaster V

The next generation of the popular BM-3 with direct USB support for FLEX Radios








The BM-5 BandMaster V is a full featured unit that contains a universal band decoder and antenna switch controller. It features five communication channels. All channels are active simultaneously and provide data translation for your station accessories. In other words, if you are using an Icom radio on the CI/V interface the BandMaster V will output 4-bit band data as well as RS-232 data in Yaesu or Kenwood format. In reverse, when

using a radio on the RS-232 interface the BandMaster V will output 4-bit band data as well as an Icom CI/V data stream. The USB interface may be connected to your PC for radio control. The USB interface may be connected directly to a Flex SDR with no additional cables or interfaces



0

STACKI MATCH

0

RatPack Remote Antenna Switch Six antenna remote switch with rotary switch

controller. Push button controllers available. HF and 50 MHz. Power rating 5 kW CW.



The original, not the imitations. For phasing 2, 3, 4 and even 6 antennas. Also it can be used to combine vertical and horizontal polarized antennas to diminish fading.



TwoPak

Two antenna switch, 12 V DC via wires or optional via coax cable. DC to 150 MHz. HF 5 kW rating. Metal box.

f-Center Fed pole Antenna

AS-OCF-2K, AS-OCF-5K Seven bands antenna (80 to 6 m). Heavy duty materials. 4:1 balun included. Ratings: 2 or 5 kW or higher available.



owerMaster II

6



RF Power and SWR meter. Couplers for 3 kW, 10 kW or higher available for HF/6 m. VHF and UHF couplers for 1.5 kW. You can connect up to 5 couplers to the display to monitor RF power on different TX lines.



OM Power Amplifiers. The New RF Power **Benchmark!**



OM Power was founded in 2004 as an initiative of two enthusiastic Slovak ham operators. Since that time OM Power has become a

Manual 160-10 m 4 kW **OM4000HF** OM4000A Automatic 160-10 m 4 kW OM2500HF Manual 160-10 m 2.5 kW Automatic 160-10 m 2.5 kW Manual 160-6 m 2 kW Automatic 160-6 m 2 kW

The automatic amps can drive an antenna switch of up to 10 ant and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass filters applies to all automatic modern and select up to ten bandpass and select up to ten bandpass filters are the select up to ten bandpass and ten bandpass filters are the select up to t successful and well established company in the production of amplifiers. OM Power amplifiers can be found on all continents and in almost every country of the world.

All of the amplifiers have state of the art design, and are solidly built.

OM4000A - OM4000HF OM2500A - OM2500HF

The A-series are automatic band change amplifiers.

The HF-series are manual band change and tuning amplifiers. OM4000: 4 kW SSB and CW, 3 kW RTTY, AM and FM

OM2500: 2.5 kW SSB and CW, 2 kW RTTY, AM and FM

OM2000A+ - OM2000+

The OM2000A+ is the lightest and smallest 2000 W fully automatic HF/6 m power amplifier in the market. Its manual tuning version, the **OM2000+**, is our affordable unmatched best-seller.




Frequency coverage: Amateur bands 1.8 – 29.7 MHz including WARC + 50 MHz

Power output: 2000+W in SSB/CW on HF bands, 1500 W in RTTY 1500 W CW/SSB on 50 MHz

Laboratory Grade Antenna and Vector Network Analyzers





One Port Analyzers and Two Port Vector Network Analyzers ranging from 5 km	up to I unz
AIM 4300	\$495
AIM UHF	\$695
VNA 2180	
VNA UHF	\$1,295
PowerAim 150 Broadcasting Engineers Choice. 150 V peak RF capable	

Surge Arrestors

AS-302, AS-303 Coaxial cable arrestors. DC to 500 MHz. N-type or SO-239 connectors. AS-300SB Stacking fixture available. AS-309H, ladder line arrestor. All have static bleed function. AS-8SP, AS-12SP and AS-16SP control cable arrestors. Protect your rotator's and other control cables.





Baluns & RF Transformers

Ratios 1:1, 1:2, 2:1,4:1 and more. RF line isolators. Ratings 3, 5, 10 kW+. Get the most out of your antenna by stopping the coaxial cable from becoming part of it.



Check our Website for more new products!

611 North Beltline Rd., Suite 109 unnyvale, Texas 75182 USA ales@arraysolutions.com e 214-954-7140 Fax 214-954-7142

Array Solutions' products are in use at top DX and Contest stations worldwide as well as commercial and governmental installations. We provide RF solutions to the DoD, FEMA, Emcomm, UN, WFO, FAA and the State Dept. for products and installation of antennas systems, antenna selection, filtering, switching and grounding. We also offer RF engineering and PE

*FREE 1 OR 2 DAY DELIVERY TO MOST OF US!



IC-9100 | The All-Round Transceiver

- HF/50MHz 144/43vvv0 (440) MHz and 1200MHz*1 coverage • 100W on HF/50/144MHz, 75W on 430 (440) MHz, 10W on 1200MHz*1 ● Double superheterodyne with image rejection mixer

IC-7851 | HF/50MHz Transceiver

• 1.2kHz "Optimum" roofing filter • New local oscillator design • Improved phase noise • Improved spectrum scope • Dual scope function • Enhanced mouse operation for spectrum scope



IC-7700 | HF/50MHz Transceiver

The Contester's Rig • HF + 6m operation • +40dBm ultra high intercept point • IF DSP, user defined filters • 200W output power full duty cycle . Digital voice recorder



IC-7610 | HF/50 MHz All Mode Transceiver

• Large 7-inch color display with high resolution real-time spectrum scope and waterfall . Independent direct sampling receivers capable of receiving two bands/two modes simultaneously



IC-7300 | HF/50MHz Transceiver

• RF Direct Sampling System • New "IP+" Function • Class Leading RMDR and Phase Noise Characteristics • 15 Discrete Band-Pass Filters • Built-In Automatic Antenna Tuner



IC-7200 | HF Transceiver

• 160-10M • 100W • Simple & tough with IF DSP • AGC Loop Management • Digital IF Filter • Digital Twin PBT • Digital Noise Reduction • Digital Noise Blanker • USB Port for PC Control



IC-7100 | All Mode Transceiver

 HF/50/144/430/440 MHz Multi-band, Multi-mode, IF DSP D-STAR DV Mode (Digital Voice + Data) • Intuitive Touch Screen Interface • Built-in RTTY Functions



IC-718 | HF Transceiver

• 160-10M** • 100W • 12V operation • Simple to use • CW Keyer Built-in • One touch band switching • Direct frequency input • VOX Built-in • Band stacking register • IF shift • 101 memories



IC-2300H | VHF FM Transceiver

• 65W RF Output Power • 4.5W Audio Output • MIL-STD 810 G Specifications • 207 alphanumeric Memory Channels • Built-in CTCSS/DTCS Encode/Decode • DMS



IC-2730A | VHF/UHF Dual Band Transceiver

• VHF/VHF, UHF/UHF simultaneous receive • 50 watts of output on VHF and UHF • Optional VS-3 Bluetooth® headset • Easy-to-See large white backlight LCD . Controller attachment to the main Unit



IC-R8600 | Wideband Software Defined Receiver

• 10 kHz to 3 GHz Super Wideband Coverage • P25, NXDN™, dPMR™, D-STAR Mode • Large Dot Matrix LCD Display w/ Quick Spectrum Scope • SD Card Slot • Remote Control



ID-5100A Deluxe

VHF/UHF Dual Band Digital Transceiver

• Analog FM/D-Star DV Mode • SD Card Slot for Voice & Data Storage • 50W Output on VHF/UHF Bands • Integrated GPS Receiver • AM Airband Dualwatch



ID-4100A | VHF/UHF Dual Band Digital Xcvr

• Compact, Detachable Controller for Flexible Installation • DV/FM Near Repeater Search Function • Apps for iOS™ and Android™ devices • Wireless Operation with VS-3 & UT-137 Bluetooth® Headset & Module • MicroSD Card Slot



IC-R30 | Digital/Analog Wideband Xcvr

- 100 kHz to 3.3 GHz Super Wideband Coverage P25 (Phase 1), NXDNTM, dPMRTM, D-STAR Mode
- 2.3" Large LCD Display & Intuitive User Interface • MicroSD Card Slot for Voice & Data Storage • USB Charging & PC Connection

ID-51A PLUS2

VHF/UHF D-STAR Portable

- RS-MS1A, free download Android[™] application
- · New modes for extended D-STAR coverage · Terminal Mode & Access Point Mode allow D-STAR operation through Internet • DV & FM repeater search function • Dplus reflector link commands





- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
- ONLINE WWW.HAMRADIO.COM
- FAX All store locations
- MAIL All store locations



ANAHEIM, CA (800) 854-6046

(877) 892-1748

OAKLAND, CA (877) 892-1745 **BURBANK, CA**

SAN DIEGO, CA (877) 520-9623

PORTLAND, OR (800) 765-4267

DENVER, CO ATLANTA, GA (800) 444-9476 (800) 444-7927

PHOENIX, AZ (800) 559-7388 MILWAUKEE, WI (800) 558-0411 **NEW CASTLE, DE** (800) 644-4476

WOODBRIDGE, VA (800) 444-4799

SALEM, NH (800) 444-0047 PLANO, TX (877) 455-8750

ONLINE STORE WWW.HAMRADIO.COM

NOBODY BEATS AN HRO DEAL!



FTDX5000MP Limited | 200W HF + 6M Xcvr

• Internal Power Supply • Two Totally Independent Receivers • Super Sharp "Roofing" Filters • High Performance Yaesu Custom- designed 32-bit Floating Point DSP • True Analog Meter Precision



FTDX3000 | 100W HF + 6M Transceiver

• 100 Watt HF/6 Meters • Large and wide color LCD display • High Speed Spectrum Scope built-in • 32 bit high speed DSP /Down Conversion 1st IF



FT-991A | HF/VHF/UHF All ModeTransceiver

Real-time Spectrum Scope with Automatic Scope Control • Multi-color waterfall display • State of the art 32-bit Digital Signal Processing System • 3kHz Roofing Filter for enhanced performance • 3.5 Inch Full Color TFT USB Capable • Internal Automatic Antenna Tuner • High Accuracy TCXO



FTDX1200 | 100W HF + 6M Transceiver

• Triple Conversion Receiver With 32-bit Floating Point DSP • 40 MHz 1st IF with selectable 3 kHz, 6kHz & 15 kHz Roofing Filters • Optional FFT-1 Supports AF-FFT Scope, RTTY/PSK31 Encode/Decode, CW Decode/Auto Zero-In • Full Color 4.3" TFT Display



FT-891 | HF+50 MHz All Mode Mobile Transceiver

Rugged Construction in an Ultra Compact Body • Stable 100 Watt Output with Efficient Dual Internal Fans • 32-Bit IF DSP Provides Effective and Optimized QRM Rejection • Large Dot Matrix LCD Display with Quick Spectrum Scope • USB Port Allows Connection to a PC with a Single Cable • CAT Control, PTT/RTTY Control



FT-857D | Ultra Compact HF/VHF/UHF

• 100w HF/6M, 50W 2M, 20W UHF • DSP included • 32 color display • 200 mems • Detachable front panel (YSK-857 required)



FT-2980R | Heavy-Duty 80W 2M FM Transceiver

· Massive heatsink guarantees 80 watts of solid RF power · Loud 3 watts of audio output for noisy environments • Large 6 digit backlit LCD display for excellent visibility • 200 memory channels for serious users



FTM-100DR | C4FM FDMA/FM 144/430 MHz Xcvr

• Power Packed System Fusion Transceiver • High Audio Output Power • Rugged Powerful Transmitter • Integrated 66ch High Sensitivity GPS • 1200/9600 APRS Data Communications



FTM-400XD | 2M/440 Mobile

• Color display-green, blue, orange, purple, gray • GPS/APRS • Packet 1200/9600 bd ready • Spectrum scope • Bluetooth • MicroSD slot • 500 memory per band



FT-70DR C4FM/FM 144/430MHz Xcvr

- System Fusion Compatible Large Front Speaker delivers 700 mW of Loud Audio Output Automatic Mode Select detects C4FM or Fm
- Analog and Switches Accordingly Huge 1,105 Channel Memory Capacity • External DC Jack for DC Supply and Battery Charging

FT-2DR C4FM/FM 144/430 MHz Xcvr

• Analog/C4FM Dual Monitor (V+V/U+U/V+U) • System Fusion compatible • 1200/9600 APRS Data Communications • Integrated 66ch High Sensitivity GPS • Wide Band Receiver • Snapshot Picture Taking Capability With Optional MH-85A11U



FT-65R | 144/430 MHz Transceiver

Compact Commercial Grade Rugged Design • Large Front Speaker Delivers 1W of Powerful Clear Audio • 5 Watts of Reliable RF Power Within a compact Body • 3.5-Hour Rapid Charger Included . Large White LED Flashlight, Alarm and Quick Home Channel Access

FT-60R | 2M/440 5W HT

- Wide receiver coverage AM air band receive
- 1000 memory channels w/alpha labels Huge LCD display . Rugged die-cast, water resistant case . NOAA severe weather alert with alert scan





- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
- ONLINE WWW.HAMRADIO.COM
- FAX All store locations
- MAIL All store locations



ANAHEIM, CA (800) 854-6046

(877) 892-1748

OAKLAND, CA (877) 892-1745 **BURBANK, CA**

SAN DIEGO, CA (877) 520-9623

PORTLAND, OR (800) 765-4267

DENVER, CO

(800) 444-9476

PHOENIX. AZ (800) 559-7388 ATLANTA, GA

NEW CASTLE, DE (800) 444-7927 (800) 644-4476

MILWAUKEE, WI **WOODBRIDGE, VA** (800) 558-0411 (800) 444-4799

> SALEM, NH (800) 444-0047

PLANO, TX (877) 455-8750

ONLINE STORE WWW.HAMRADIO.COM

*FREE 1 OR 2 DAY DELIVERY TO MOST OF US!



TS-990S | 200W HF + 6M Transceiver

• World's first dual TFT display • 200W output on all bands ±0.1ppm TCXO ensures both high stability and reduced power consumption • Triple 32-bit DSP's dedicated to main/ sub receivers and band scope . Main receiver employs full down conversion, new mixer & narrow band roofing filters . Third order intercept point (IP3) +40dBm for highest level of RX performance (main receiver)

Call For Special Price!



TS-590SG | HF/50MHz Transceiver

• Equipped with 500 Hz/2.7 kHz roofing filter as standard • ALC derived from TS-990S eliminating spike issues • Antenna output function (shared with DRV connector) • CW - morse code decoder function • Improved 1st mixer • New PFB key with multi-function knob . New split function enabling guick setting • LED backlight with selectable color tone



TS-2000/2000X | HF/VHF/UHF Transceiver

- 100W HF, 6M, 2M 50W 70CM TS-2000X 10W 1.2GHz • Built-in TNC, DX packet cluster• IF Stage DSP • Backlit front key panel
- **Call For Special Price!**



TM-D710G | 2M/440 Dualband

• V+V/V+U/U+U operation • Built-in GPS • Built-in TNC for APRS & DX-Cluster operation • 50W 2M & UHF • 1,000 memories • Dual receive • Green or amber backlight colors • Latest APRS firmware w/new features • Sky Command II remote functions

Call For Special Price!



TM-V71A | 2M/440 DualBand

• High RF output (50W) • Multiple Scan • Dual receive on same band (VxV, UxU) . Echolink® memory (auto dialer) . Echolink® Sysop mode for node terminal ops • Invertible front panel • Choice of green/amber for LCD panel • 104 code digital code squelch • "Five in One" programmable memory • 1000 multifunction memory

Call Now For Your Low Price!



TM-281A | 2 Mtr Mobile

• 65 Watt • 200 Memories • CTCSS/DCS • Mil-Std specs • Hi-quality audio

Call For Special Low Price!



TS-480SAT/HX | HF + 6M Transceiver

• 480HX 200W HF & 100W 6M (no tuner) • 480SAT 100W HF & 6M w/AT • Remotable w/front panel/speaker • DSP built-in

Call Now For Low Price!



TH-D72A

2M/440 HT w/extended RX

• 5W TX, RX 118-524 MHz, VxU, VxV, UxU • APRS w/built-in 1200/9600 TNC • Built-in GPS, Built-in USB, digipeater . Echolink® compatible, • Mil-Spec STD810

Call For Special Low Price!

TH-D74A 2M/220/440 HT w/D-STAR!

• D-STAR compatible • APRS ready w/built in GPS • Color weather station information • Built-in KISS mode TNC • High-performance DSP voice processing . Standard compatibility for Bluetooth

Call For Low Price!







Call For Special Low Price!



- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
- ONLINE WWW.HAMRADIO.COM
- FAX All store locations

 - MAIL All store locations

KENWOOD

ANAHEIM, CA (800) 854-6046

(877) 892-1748

OAKLAND, CA (877) 892-1745 **BURBANK, CA**

SAN DIEGO, CA (877) 520-9623

PORTLAND, OR (800) 765-4267

DENVER, CO (800) 444-9476 PHOENIX, AZ (800) 559-7388

ATLANTA, GA (800) 444-7927 MILWAUKEE, WI (800) 558-0411

NEW CASTLE, DE (800) 644-4476

WOODBRIDGE, VA (800) 444-4799

SALEM, NH (800) 444-0047 PLANO, TX (877) 455-8750

ONLINE STORE WWW.HAMRADIO.COM

NOBODY BEATS AN HRO DEAL!





ACOM-1000

- HF and 6 Meter 1KW Amplifier Match 3:1 SWR with No. Tuner • User Friendly QSK Operation • LCD Message Display
- Single 4CX800a Tube Vacuum Antenna Relays

Call For Additional ACOM Products!



218XATC-PL-(length) RG8x (240UF) w/PL259 Connectors Each End. Weather-Proof Heat Shrink Tubing.

- Stranded Center Conductor.
- 95% TC Braid + bonded 100% Foil Shield.
- Very Flexible, Light Weight, and Smaller than RG8 sizes.
- Non-Contaminating-UV Resistant-Direct Burial-Black Jacket.



- Unique design (Nickel Grommets
- 4" Spacing) allows for easy attachment to a vehicle's body or truck bed to create a "ground-plane"
- Good option as a "buss-bar" in the shack.
- ½" wide tinned copper 38x48x8/384 10ga 53 Amps.
- Stocked in 1.5', 3', 5', and 10' foot lengths.



THE WORLD'S FAVORITE SDR RECEIVERS

- Continuous SDR coverage from 1kHz to 2GHz (NO GAPS!)
- Now includes the new RSPduo 14-bit Dual-Tuner SDR
- RSPduo can simultaneously receive on 2 totally independent 2MHz spectrum windows, anywhere between 1kHz & 2GHz
- All RSPs can receive, monitor and record up to 10MHz spectrum at a time
- Visualise all the signals in multiple bands simultaneously
- S/W pre-sets for all the bands from the new LF2200m to 23cm
- Excellent dynamic range for challenging reception conditions
- Built-in High performance Front-end Filters
- Use as a stand-alone general coverage receiver, or as a high resolution Panadapter
- SDRuno Windows SDR software provided free-of-charge
- Also works with other platforms and popular SDR Software
- The perfect gift for newcomers & returners to the radio hobby Calibrated S meter/RF power & SNR measurement with SDRun
- Only needs a computer and an antenna
- Backed by the biggest and best SDR support community



Call For Latest Pricing!

• 55' Tubular Tower • Handles 10 sq. ft. at 50 mph • Pleases neighbors with tubular streamlined look

Call For Latest Pricing!

All US Towers shipped by truck; freight charges additional.



TX-455

• 55' freestanding crank-up • Handles 18 sq. ft. @ 50 mph . No guying required . Extra-strength construction • Can add raising and motor drive accessory • Towers rated to EIA specifications • Other models available at great prices!

REMOTE RIG



RRC-1258 MkII-S-Set

This set of interfaces allows remote control of your Amateur Radio Station via Internet in a user-friendly and cost effective way! RemoteRig gives you control of the radio coupled with crystal clear TX & RX audio and sending CW with your own Paddle!

New! Now Stereo Version for Dual Receiver radios.

Works with all Computer-controllable radios from: Alinco - Elecraft - ICOM - Kenwood - Yaesu

For radios with detachable front nanels no PC is required for: TS-480HX/SAT; TS-2000 (RC-2000 reg'd); IC-703/Plus; IC-706 series; DX-SR8T; IC-2820H: IC-R2500

Just simply insert your control box in place of your front panel interconnect cable, place the body of the radio on the remote end and you are on the air as if you are there! Extra Controller and Remote interface units sold individually for multiple sites/users.

Now includes 12V power supply, \$12.95 value!

Available exclusively from all HRO locations!



- RETAIL LOCATIONS Store hours 10:00AM 5:30PM Closed Sunday
- PHONE Toll-free phone hours 9:30AM 5:30PM
- FAX All store locations MAIL – All store locations

HRO is family owned and operated by active hams!

ANAHEIM. CA

(877) 892-1745

SAN DIEGO, CA (877) 520-9623

PORTLAND, OR (800) 765-4267

ONLINE – WWW.HAMRADIO.COM

(800) 559-7388 ATLANTA, GA

PHOENIX, AZ

MILWAUKEE. WI (800) 558-0411

NEW CASTLE, DE (800) 644-4476

WOODBRIDGE, VA (800) 444-4799

SALEM, NH

PLANO, TX (877) 455-8750

ONLINE STORE WWW.HAMRADIO.COM

(800) 854-6046 **BURBANK, CA**

(877) 892-1748

OAKLAND, CA

DENVER, CO (800) 444-9476

(800) 444-7927